



Saves Your Energy

PRODUCT CARD

9/13/16

NAC32.B

Coupler

Kód	NAC32.B
GTIN	6418677113901
Název	Coupler EnstoNet Black (1, PE, N)
Popis	3-pole socket without strain relief. For flexible, stranded and solid wires. Wire cross-section 0,75-4,0 mm ² . Weight 10,1 g. Pole marking in parentheses.
Dodavatel	Ensto Finland Oy



Technické parametry

Technické údaje

UL Wire range: 12 ... 18 AWG

Dimensions

Weight: 10.1 g
 Conductor cross-section: 0,75 - 4 mm²
 Dimensions l x w x h: 57x39x20

Temperatures

Max. operating temperature: +70 °C
 Min. installation temperature: +5 °C
 Min. operating temperature: -30 °C (without mechanical stress)

Materials

Material: Polyamide 66

Colors

Color: Black

Features

Pole markings: 1,PE,N

Drawing markings

L: 250 mm

Ratings

Rated voltage: 250 V

Degree of protection: IP20

Rated current: 20 A

ETIM: EC002560

US specific

UL Rated voltage: 250 V

UL Rated current: 16 A

Balení

Balení

Unit: PCS

Size: 200

Length: 220 mm

Width: 220 mm

Height: 125 mm

Weight (brt): 2.156 kg

Volume: 6.05

Pallet package

Size: 25000

