

5STARS 1000




Colors:

94

Discharge lamp floodlight for indoor and outdoor lighting, comprising:

- Polyester powder-painted die-cast aluminium housing
- Flat tempered glass diffuser
- Extra pure polished aluminium reflectors
- Gaskets made of silicone foam directly applied on glass without joints
- Electrical wiring box with ignitor, supplied with the luminaire, made of technopolymer reinforced with glass fibre
- Stainless steel external screws
- Fully integrated stainless steel aluminium spring clips
- Powder coated steel bracket
- Lamp holder box constructed of technopolymer
- Graduated goniometer for aiming purposes
- Patented anti-vacuum device
- Adequate power supply units, available as accessories, must be used for all floodlights



5STARS 1000
A/I



5STARS 1000
A/M




5STARS 1000
S/I



5STARS 1000
S/M

Lamps

	E40	1x1000 W
	E40	1x600/1000 W



5STARS 1000 A/I

IK08 5J xx5


LAMPHOLDER	WATTAGE	ILCOS	LBS	COLOUR/ RAL	CLASS		KELVIN	COS θ ≥ 0.9	EEI	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	LIFETIME	L	°C	PART NUMBER	REMARKS	EURO
------------	---------	-------	-----	----------------	-------	--	--------	----------------------------	-----	-------	---------------	-----------------------------	---------------------------	----------	---	----	-------------	---------	------

Discharge - remote gear with igniter

E40	1x600/1000 W	ST-MT	HST-HIT	94	I	•	-	-	-	A45/I	-	-	-	-	-	-	-	04016994		
-----	--------------	-------	---------	----	---	---	---	---	---	-------	---	---	---	---	---	---	---	-----------------	--	--

Discharge - remote gear with igniter for HPI-T Plus lamp

E40	1x1000 W	MT	HIT-CE	94	I	•	-	-	-	A45/I	-	-	-	-	-	-	-	04016794		
-----	----------	----	--------	----	---	---	---	---	---	-------	---	---	---	---	---	---	---	-----------------	--	--



5STARS 1000 A/M

IK08 5J xx5


LAMPHOLDER	WATTAGE	ILCOS	LBS	COLOUR/ RAL	CLASS		KELVIN	COS θ ≥ 0.9	EEI	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	LIFETIME	L	°C	PART NUMBER	REMARKS	EURO
------------	---------	-------	-----	----------------	-------	--	--------	----------------------------	-----	-------	---------------	-----------------------------	---------------------------	----------	---	----	-------------	---------	------

Discharge - remote gear with igniter

E40	1x600/1000 W	ST-MT	HST-HIT	94	I	•	-	-	-	A45/M	-	-	-	-	-	-	-	04002294		
-----	--------------	-------	---------	----	---	---	---	---	---	-------	---	---	---	---	---	---	---	-----------------	--	--

Discharge - remote gear with igniter for HPI-T Plus lamp

E40	1x1000 W	MT	HIT-CE	94	I	•	-	-	-	A45/M	-	-	-	-	-	-	-	04002094		
-----	----------	----	--------	----	---	---	---	---	---	-------	---	---	---	---	---	---	---	-----------------	--	--



5STARS 1000 S/I

IK08 5J xx5


LAMPHOLDER	WATTAGE	ILCOS	LBS	COLOUR/ RAL	CLASS		KELVIN	COS θ ≥ 0.9	EEI	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	LIFETIME	L	°C	PART NUMBER	REMARKS	EURO
------------	---------	-------	-----	----------------	-------	--	--------	----------------------------	-----	-------	---------------	-----------------------------	---------------------------	----------	---	----	-------------	---------	------

Discharge - remote gear with igniter

E40	1x600/1000 W	ST-MT	HST-HIT	94	I	•	-	-	-	S/I	-	-	-	-	-	-	-	04003594		
-----	--------------	-------	---------	----	---	---	---	---	---	-----	---	---	---	---	---	---	---	-----------------	--	--

Discharge - remote gear with igniter for HPI-T Plus lamp

E40	1x1000 W	MT	HIT-CE	94	I	•	-	-	-	S/I	-	-	-	-	-	-	-	04003794		
-----	----------	----	--------	----	---	---	---	---	---	-----	---	---	---	---	---	---	---	-----------------	--	--




5STARS 1000 S/M

IK08 5J xx5


LAMPHOLDER	WATTAGE	ILCOS	LBS	COLOUR/ RAL	CLASS	KEELVIN	COS Ø ≥ 0.9	EEL	OPTIC	OPTIC BEAM	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	LIFETIME	L	°C	PART NUMBER	REMARKS	EURO
Discharge - remote gear with igniter																		
E40	1x600/1000 W	ST-MT	HST-HIT	94	I	-	-	-	S/M	-	-	-	-	-	-	04001994		
Discharge - remote gear with igniter for HPI-T Plus lamp																		
E40	1x1000 W	MT	HIT-CE	94	I	-	-	-	S/M	-	-	-	-	-	-	04001794		

CONTROL GEARS


DESCRIPTION	COLOUR	PART NUMBER	EURO
5STARS 1000 HPI-T			
Aluminium power supply unit IP65, 230 V - 50Hz, class I, for lamp 1000 W HPI-T with fuse and without ignitor	94	14013220	
Power supply unit with aluminium base and polyamide cover IP65, 230 V - 50Hz, class I, for 1000 W HPI-T lamps with fuse and without ignitor	94	14216003	
A0239 Power supply unit 230 V - 50Hz, class I, on galvanised steel plate for 1000 W HPI-T lamps with fuse and without ignitor	-	14025701	
5STARS 1000 HQI-T NAV-T			
Aluminium power supply unit IP65, 230 V - 50Hz, class I, for 1000W high pressure sodium and metal halide lamps with fuse and without ignitor	94	14013320	
Power supply unit with aluminium base and polyamide cover IP65, 230 V - 50Hz, class I, for 1000 W high pressure sodium and metal halide lamps with fuse and without ignitor	94	14215003	
A0239 Power supply unit 230 V - 50Hz, class I, on galvanised steel plate for high pressure sodium and metal halide lamps with fuse and without ignitor	-	14020701	
5STARS 1000 NAV-T			
Aluminium power supply unit IP65, 230 V - 50Hz, class I, for 600 W high pressure sodium lamps without ignitor	94	14017494	
Power supply unit with aluminium base and polyamide cover IP65, 230 V - 50Hz, class I, for 600 W high pressure sodium lamps without ignitor	94	14017594	




14215003 - 14216003 - 14017594



14013220 - 14013320 - 14017494



14025701- 14020701




OPTIONAL ACCESSORIES

DESCRIPTION	COLOUR	PART NUMBER	EURO
5STARS 1000 A			
A0371 Steel wire lamp steady support (recommended for installations subjected to heavy vibrations).	-	14070620	
5STARS 1000 S			
A0371 Steel wire lamp steady support (recommended for installations subjected to heavy vibrations).	-	14070520	
5STARS 1000			
A0249 Frosted glass, optional replacement for standard clear glass.	-	14026520	
A0208 External anti-glare louvre painted aluminium grey.	94	14012320	
A0209 External cowl painted aluminium grey.	94	14012420	
A0210 Steel galvanised wire guard (18 Joule).	-	14012520	
A0211/1 Single pole top fitting and outreach arm for Ø60-76mm poles.	94	14012620	
A0211/2 Twin pole top fitting and outreach arm for Ø60-76mm poles.	94	14012720	
A0031 1000mm extension arm in heavy gauge steel painted aluminium grey.	94	14011594	
A0290 Strengthening bracket. Designed for single point fixing M12-M14 screw in centre of the bracket.	04	14044620	




A0371


A0249



A0208



A0209



A0210




A0031



A0211/1



A0211/2



A0290

SUPPLEMENTS

DESCRIPTION	COLOUR	PART NUMBER	EURO
(*) 5STARS 1000			
A0282 Frosted glass supplement to be ordered together with the fitting for factory fitted option.	-	14042620	

(*) To be ordered as a separate item along with fitting.